

CS5 Ultra Touring tire specifications table

Tire Size	Service Description	UTQG	Load Range	Sidewall	Approved Rim Width	Measured Rim Width	Section Width	Overall Diameter	Tire Weight	Max Load	Tread Depth
185/65R15	88H	600 A A	STD	BLK	5 - 6.5	5.5	7.4	24.45	19	1235	10.5
195/65R15	91H	640 A A	STD	BLK	5.5 - 7	6	7.9	25	20	1356	10.5
205/65R15	99H	640 A A	XL	BLK	5.5 - 7.5	6	8.2	25.47	22	1709	10.5
205/65R15	94V	640 A A	STD	BLK	5.5 - 7.5	6	8.2	25.47	21	1477	10.5
205/65R15	94H	640 A A	STD	BLK	5.5 - 7.5	6	8.2	25.47	22	1477	10.5
195/60R15	88H	640 A A	STD	BLK	5.5 - 7	6	7.9	24.21	21	1235	10.5
195/55R15	85V	640 A A	STD	BLK	5.5 - 7	6	7.9	23.43	20	1135	10.5
205/65R16	95H	640 A A	STD	BLK	5.5 - 7.5	6	8.2	26.46	22	1521	10.5
215/65R16	98H	640 A A	STD	BLK	6 - 7.5	6.5	8.7	27.01	23	1653	10.5
205/60R16	92H	640 A A	STD	BLK	5.5 - 7.5	6	8.2	25.67	21	1389	10.5
205/60R16	92V	640 A A	STD	BLK	5.5 - 7.5	6	8.2	25.67	23	1389	10.5
215/60R16	95V	640 A A	STD	BLK	6 - 7.5	6.5	8.7	26.14	19	1521	10.5
215/60R16	95H	640 A A	STD	BLK	6 - 7.5	6.5	8.7	26.14	22	1521	10.5
225/60R16	98H	640 A A	STD	BLK	6 - 8	6.5	9	26.61	25	1653	10.5
235/60R16	100V	640 A A	STD	BLK	6.5 - 8.5	7	9.4	27.09	27	1764	10.5
195/55R16	87V	640 A A	STD	BLK	5.5 - 7	6	7.9	24.41	21	1201	10.5
205/55R16	91V	640 A A	STD	BLK	5.5 - 7.5	6.5	8.4	24.88	22	1356	10.5
205/55R16	91H	640 A A	STD	BLK	5.5 - 7.5	6.5	8.4	24.88	21	1356	10.5
215/55R16	93H	640 A A	STD	BLK	6 - 7.5	7	8.9	25.28	23	1433	10.5
225/55R16	95H	640 A A	STD	BLK	6 - 8	7	9.2	25.79	24	1521	10.5
225/65R17	102H	640 A A	STD	BLK	6 - 8	6.5	9	28.5	27	1874	10.5
235/65R17	104H	640 A A	STD	BLK	6.5 - 8.5	7	9.4	29.06	28	1984	10.5

225/60R17	99V	640 A A	STD	BLK	6 - 8	6.5	9	27.64	25	1709	10.5
225/60R17	99H	640 A A	STD	BLK	6 - 8	6.5	9	27.64	25	1709	10.5
215/55R17	94V	640 A A	STD	BLK	6 - 7.5	7	8.9	26.3	26	1477	10.5
225/55R17	97V	640 A A	STD	BLK	6 - 8	7	9.2	26.77	28	1609	10.5
225/55R17	97H	640 A A	STD	BLK	6 - 8	7	9.2	26.77	27	1609	10.5
235/55R17	99V	640 A A	STD	BLK	6.5 - 8.5	7.5	9.6	27.17	27	1709	10.5
235/55R17	99H	640 A A	STD	BLK	6.5 - 8.5	7.5	9.6	27.17	27	1709	10.5
235/55R17	99W	500 A A	STD	BLK	6.5 - 8.5	7.5	9.6	27.17	28	1709	10.5
205/50R17	93V	640 A A	XL	BLK	5.5 - 7.5	6.5	8.4	25.12	22	1433	10.5
215/50R17	95V	640 A A	XL	BLK	6 - 7.5	7	8.9	25.51	26	1521	10.5
225/50R17	94V	640 A A	STD	BLK	6 - 8	7	9.2	25.91	23	1477	10.5
235/50R17	96V	640 A A	STD	BLK	6.5 - 8.5	7.5	9.6	26.3	26	1565	10.5
215/45R17	91V	640 A A	XL	BLK	7 - 8	7	8.4	24.69	24	1356	10.5
225/45R17	94W	500 A A	XL	BLK	7 - 8.5	7.5	8.9	24.96	26	1477	10.5
225/45R17	91H	640 A A	STD	BLK	7 - 8.5	7.5	8.9	24.96	24	1356	10.5
235/45R17	94H	640 A A	STD	BLK	7.5 - 9	8	9.3	25.35	26	1477	10.5
235/45R17	94W	500 A A	STD	BLK	7.5 - 9	8	9.3	25.35	26	1477	10.5
245/45R17	95H	640 A A	STD	BLK	7.5 - 9	8	9.6	25.67	24	1521	10.5
255/65R18	111H	640 A A	STD	BLK	7 - 9	7.5	10.2	31.06	35	2403	10.5
225/60R18	100H	640 A A	STD	BLK	6 - 8	6.5	9	28.62	30	1764	10.5
225/60R18	100V	640 A A	STD	BLK	6 - 8	6.5	9	28.62	30	1764	10.5
235/60R18	103V	640 A A	STD	BLK	6.5 - 8.5	7	9.4	29.09	28	1929	10.5
245/60R18	105H	640 A A	STD	BLK	6 - 8.5	7	9.8	29.57	30	2039	10.5
215/55R18	95H	640 A A	STD	BLK	6 - 7.5	7	8.9	27.28	25	1521	10.5
225/55R18	98H	640 A A	STD	BLK	6 - 8	7	9.1	27.76	28	1653	10.5
235/55R18	104V	640 A A	XL	BLK	6.5 - 8.5	7.5	9.6	28.15	29	1984	10.5

235/50R18	97V	640 A A	STD	BLK	6.5 - 8.5	7.5	9.6	27.28	27	1609	10.5
235/50R18	97W	500 A A	STD	BLK	6.5 - 8.5	7.5	9.6	27.28	29	1609	10.5
245/50R18	100V	640 A A	STD	BLK	7 - 8.5	7.5	10	27.68	28	1764	10.5
225/45R18	95V	640 A A	XL	BLK	7 - 8.5	7.5	8.9	25.94	24	1521	10.5
225/45R18	95W	500 A A	XL	BLK	7 - 8.5	7.5	8.9	25.94	26	1521	10.5
235/45R18	94V	640 A A	STD	BLK	7.5 - 9	8	9.3	26.34	27	1477	10.5
235/45R18	94W	500 A A	STD	BLK	7.5 - 9	8	9.3	26.34	27	1477	10.5
245/45R18	100V	640 A A	XL	BLK	7.5 - 9	8	9.6	26.65	29	1764	10.5
255/60R19	109H	640 A A	STD	BLK	7 - 9	7.5	10.2	31.06	36	2271	10.5
235/55R19	105H	640 A A	XL	BLK	6.5 - 8.5	7.5	9.6	29.17	33	2039	10.5
225/45R19	96W	500 A A	XL	BLK	7 - 8.5	7.5	8.9	26.97	27	1565	10.5
245/45R19	98V	640 A A	STD	BLK	7.5 - 9	8	9.6	27.68	30	1653	10.5
255/45R19	104V	640 A A	XL	BLK	8 - 9.5	8.5	10	28.07	29	1984	10.5
235/40R19	96V	640 A A	XL	BLK	8 - 9.5	8.5	9.5	26.42	26	1565	10.5
245/40R19	98W	500 A A	XL	BLK	8 - 9.5	8.5	9.8	26.73	31	1653	10.5
245/50R20	102H	640 A A	STD	BLK	7 - 8.5	7.5	10	29.69	30	1874	10.5
255/50R20	109V	640 A A	XL	BLK	7 - 9	8	10.4	30.08	33	2271	10.5
255/45R20	101V	640 A A	STD	BLK	8 - 9.5	8.5	10	29.06	27	1819	10.5
255/35R20	97W	500 A A	XL	BLK	8.5 - 10	9	10.2	27.01	31	1609	10.5