

# Evolution Tour tire specifications table

Tire Size	Service Description	UTQG	Load Range	Sidewall	Approved Rim Width	Measured Rim Width	Section Width	Overall Diameter	Tire Weight	Max Load	Tread Depth
185/70R14	88T	600 A B	STD	BLK	4.5 - 6	5.5	7.4	24.21	17	1235	9.5
195/70R14	91T	600 A B	STD	BLK	5 - 6.5	6	7.8	24.76	18	1356	9.5
175/65R14	82T	600 A B	STD	BLK	5 - 6	5	7	22.99	16	1047	9.5
185/65R14	86T	600 A B	STD	BLK	5 - 6.5	5.5	7.4	23.46	17	1168	9.5
185/65R14	86H	580 A A	STD	BLK	5 - 6.5	5.5	7.4	23.46	21	1168	9.5
185/60R14	82H	580 A A	STD	BLK	5 - 6.5	5.5	7.4	22.76	21	1047	9.5
205/70R15	96T	600 A B	STD	BLK	5 - 7	6	8.1	26.18	20	1565	9.5
215/70R15	98T	600 A B	STD	BLK	5.5 - 7	6.5	8.6	26.89	21	1653	9.5
175/65R15	84H	580 A A	STD	BLK	5 - 6	5	7	23.98	17	1102	9.5
185/65R15	88H	580 A A	STD	BLK	5 - 6.5	5.5	7.4	24.45	19	1235	9.5
185/65R15	88T	600 A B	STD	BLK	5 - 6.5	5.5	7.4	24.45	17	1235	9.5
195/65R15	91T	600 A B	STD	BLK	5.5 - 7	6	7.9	25	19	1356	9.5
195/65R15	91H	580 A A	STD	BLK	5.5 - 7	6	7.9	25	19	1356	9.5
205/65R15	94H	580 A A	STD	BLK	5.5 - 7.5	6	8.2	25.47	20	1477	9.5
205/65R15	94T	600 A B	STD	BLK	5.5 - 7.5	6	8.2	25.47	21	1477	9.5
215/65R15	96T	600 A B	STD	BLK	6 - 7.5	6.5	8.7	26.02	21	1565	9.5
185/60R15	84T	600 A B	STD	BLK	5 - 6.5	5.5	7.4	23.74	16	1102	9.5
195/60R15	88T	600 A B	STD	BLK	5.5 - 7	6	7.9	24.21	18	1235	9.5
195/60R15	88H	580 A A	STD	BLK	5.5 - 7	6	7.9	24.21	18	1235	9.5
215/70R16	100T	600 A B	STD	BLK	5.5 - 7	6.5	8.5	27.72	24	1764	9.5
205/65R16	95H	580 A A	STD	BLK	5.5 - 7.5	6	8.2	26.46	20	1521	9.5
215/65R16	98T	600 A B	STD	BLK	6 - 7.5	6.5	8.7	27.01	22	1653	9.5

225/65R16	100T	600 A B	STD	BLK	6 - 8	6.5	9	27.48	24	1764	9.5
235/65R16	103T	600 A B	STD	BLK	6.5 - 8.5	7	9.4	28.03	25	1929	9.5
205/60R16	92T	600 A B	STD	BLK	5.5 - 7.5	6	8.2	25.67	21	1389	9.5
205/60R16	92H	580 A A	STD	BLK	5.5 - 7.5	6	8.2	25.67	20	1389	9.5
215/60R16	95H	580 A A	STD	BLK	6 - 7.5	6.5	8.7	26.14	21	1521	9.5
215/60R16	95T	600 A B	STD	BLK	6 - 7.5	6.5	8.7	26.14	20	1521	9.5
225/60R16	98T	600 A B	STD	BLK	6 - 8	6.5	8.8	26.38	21	1653	9.5
225/60R16	98H	580 A A	STD	BLK	6 - 8	6.5	9	26.61	22	1653	9.5
185/55R16	83H	580 A A	STD	BLK	5 - 6.5	6	7.6	24.02	18	1074	9.5
205/55R16	91H	580 A A	STD	BLK	5.5 - 7.5	6.5	8.4	24.88	20	1356	9.5
205/55R16	91T	600 A B	STD	BLK	5.5 - 7.5	6.5	8.4	24.88	20	1356	9.5
215/55R16	97H	580 A A	XL	BLK	6 - 7.5	7	8.9	25.28	21	1609	9.5
225/55R16	95H	580 A A	STD	BLK	6 - 8	7	9.2	25.75	23	1521	9.5
215/65R17	99T	600 A B	STD	BLK	6 - 7.5	6.5	8.7	28.03	24	1709	9.5
225/65R17	102T	600 A B	STD	BLK	6 - 8	6.5	9	28.5	24	1874	9.5
235/65R17	104T	600 A B	STD	BLK	6.5 - 8.5	7	9.4	29.06	26	1984	9.5
245/65R17	107T	600 A B	STD	BLK	7 - 8.5	7	9.6	29.53	28	2149	9.5
215/60R17	96T	600 A B	STD	BLK	6 - 7.5	6.5	8.7	27.17	22	1565	9.5
225/60R17	99T	600 A B	STD	BLK	6 - 8	6.5	9	27.64	24	1709	9.5
235/60R17	102T	600 A B	STD	BLK	6.5 - 8.5	7	9	28.5	26	1874	9.5
215/55R17	94T	600 A B	STD	BLK	6 - 7.5	7	8.7	26.34	22	1477	9.5
215/55R17	94V	580 A A	STD	BLK	6 - 7.5	7	8.9	26.3	22	1477	9.5
225/55R17	97H	580 A A	STD	BLK	6 - 8	7	9.2	26.77	24	1609	9.5
235/55R17	99T	600 A B	STD	BLK	6.5 - 8.5	7.5	9	27.17	27	1709	9.5
225/50R17	94T	600 A B	STD	BLK	6 - 8	7	9.2	25.91	22	1477	9.5
225/50R17	94V	580 A A	STD	BLK	6 - 8	7	9.2	25.91	22	1477	9.5

---

225/60R18	100H	580 A A	STD	BLK	6 - 8	6.5	9	28.62	27	1764	9.5
225/55R18	98H	580 A A	STD	BLK	6 - 8	7	9.1	27.76	26	1653	9.5
235/55R18	100V	580 A A	STD	BLK	6.5 - 8.5	7.5	9.6	28.15	28	1764	9.5
225/50R18	95T	600 A B	STD	BLK	6 - 8	7	9.2	26.89	25	1521	9.5

---